

Terms and Conditions

The Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Library.

Each copy of any part of this document must contain there Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept there Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Library

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Imprint:

Director: Mag. Renate Plöchl

Deputy director: Mag. Julian Sagmeister

Owner of medium: Oberösterreichische Landesbibliothek

Publisher: Oberösterreichische Landesbibliothek, 4021 Linz, Schillerplatz 2

Contact:

Email: [landesbibliothek\(at\)ooe.gv.at](mailto:landesbibliothek(at)ooe.gv.at)

Telephone: +43(732) 7720-53100

DENOMINATIO STELLARUM.	Longitudo G.M.S.	Latitudo G.M.	Mag.	DENOMINATIO STELLARUM.	Longitudo G.M.S.	Latitudo G.M.	Mag.
Quæ in dorso seu medio corpore	15.49 f II	41. 5 f A	3	Quæ in collo præcedit	11.51 f Ω	11. 5 f A	6
In armo sinistro	14. 6 f II	43.57 f	3	Sequens in educatione colli	14.41 f Ω	13. 5	4
Australior duarū in post. pedibus	19.21 f II	45.49 f	3	Media colli, & præcedens trium			
Boreolior earundem	21.36 II	44.18	3	in nexu	20.11 f Ω	15. 0	5
Præcedens in dorso	20.26 f II	38.16	4	Borea trium in flexu colli	22. 4 Ω	14.17 f	4
Sequens in dorso	23.27 f II	37.40 f	4	Australis in nexu	19.53 f Ω	16.46	5
Ultima in cauda	* 26.22 II	38.26 A	4	Lucida Hydræ, sive cor	21.45 f III	22.24	1
CANIS MAIOR.				Quæ proximè cor sequitur	27.12 III	26.33 f	4
In ore splendidissima, Siri ^o vocata	8.35 f Ω	39.30 A	1	Quæ hanc deinde sequitur	0. 9 III	26.12	5
Quæ in fronte ad dextram aurem	19. 1 f Ω	34.50	4	Præcedens ex duabus contiguis			
In media fronte	11.27 Ω	36.43	5	supra hanc	2.48 III	23.13	5
Quæ sub sinistra aure	14. 6 Ω	38. 2 f	3	Sequens earundem	3.53 III	21.51	4
In collo	12. 3 Ω	39.30	4	Quæ à corde quinta est	9.31 f III	24.38	4
In armo dextro anteriorū pedum	6.32 f Ω	42.12 f	5	Quæ in recta cum hac & sequen.	12.41 f III	23.31	5
Quæ in extremitate pedis prioris	1.42 f Ω	41.18 f	2	Cratera proximè præcedens	14.51 III	21.48 f	4
Quæ in dorso	15.30 f Ω	46. 9 f	5	Informis, caput proximè præc. *	4.45 f Ω	12.27	4
Media in pectore	12.36 f Ω	46.39 f	5	Sub basi Crateris, borealis	23. 1 f III	25.36	4
Quæ in ventre	17.55 Ω	48.30	3	Australis	23.49 III	30.17	5
In ventre inter posteriora femora	15.21 f Ω	51.24 f	3	Sub cauda Corvi	21.24 Ω	13.43	3
Inferior dextri pedis priorum	1. 7 Ω	51.46 f	3	Hanc præcedens parvula	19.24 Ω	14.37	6
Quæ in cauda	24.11 f Ω	51.24 f A	3	Informis ante caput Hydræ *	28.44 Ω	10.19 A	3
CANIS MINOR, PROCTON.				CRATER.			
In collo	16.39 f Ω	13.33 f A	3	Quæ est in basi crateris	18.13 III	22.41 A	4
In femore, Procyon	20.18 f Ω	15.57	2	Sequens duarum in medio	23.43	19.39	4
Supra lucidam colli	16.49 Ω	12.51	6	Præcedens earundem	21.10 f	17.25	4
Informis supra hanc	16.42 f Ω	9.46	6	Præcedens duarū supra craterem	20.27	13.10	4
Sequens ad caudam cancri	20.57 f Ω	10.19 f A	5	Earum sequens	23. 2	11.17	4
ARGO NAVIS.				Præcedens duarum infer, Pif. 16'	28.30 III	18.10'	4
Quæ in suprema puppi	5.53 f Ω	43.18 f A	3	Sequens	0.33 Ω	16. 2	4
Suprema clypei navis	0.35 f Ω	44.58 f	3	In medio cratere	24.55 III	14. 9 A	5
Præcedens clypei	28. 0 Ω	47.28	3	CORVUS.			
In velo	4. 6 f Ω	32. 7	4	Quæ ad oculum	6. 8 Ω	19.39 A	4
Informis ad Austrum	4.27 Ω	38.31	4	Præcedens duarū superiorū in □	5.13	14.25	3
In Malo trium inferior	12.26 f Ω	32.56	6	Sequens earundem	7.55	12. 7	3
Supra hanc	12.51 f Ω	30.18	4	Sequens inferiorum in quadrato	11.49	17.59	3
Hac ipsa altior	10. 1 f Ω	24.29 f	4	In rostro	6.38	21.46	4
Duarum in Antenna præcedens	29.26 Ω	21.39 f	4	In collo	8.14	18.14	5
Sequens	4.20 f III	22.29 f	3	In sinistra ala supra lucidam	8.21 f Ω	11.28 A	5
Informis inter velum & lacteam	23.44 III	30.30 A	3	CENTAURUS, CHIRON.			
<i>Has tres trajecit Grünbergerus ad finem Hydræ.</i>				In capite de quatuor australissima	1.27 III	21.49 A	5
HYDRÆ.				Quæ magis in Boream	0.59 III	19. 8	5
Præcedens in capite	5.39 f Ω	14.37 A	5	Intermediarum duarum præced.	0.12 III	20.51	5
Supra primam ad aquilonem	6.46 Ω	14.16 f	4	Sequens & reliqua de quatuor	1. 3 III	20.12 A	5
Boreolior in occipite	6.48 Ω	11. 8	4	Finis Catalogi mille Fixarum Tychois Brahe.			
Quæ tertiam ad austrum præit	7.22 f Ω	11.36	5				
Omnium in capite orientior	9. 0 f Ω	11. 1 A	4				

Secunda Classis

FIXAS ILLAS COMPLECTITUR, QUAS DE VETUSTO HIPPARCHI CATALOGO, à Ptolemæo repetito & emendato, Tycho omisit. Eas SEMI-TYCHONICAS appellare placet: requisitas enim ex codice Ptolemæi, adhibita etiam versione Trapezuntij, Tubingæ ante annos 76 edita à Schreckenfurio, reduxi ad annum 1600, additione, ad longitudinis loca à Ptolemæo prodita, tanti arcûs, quantum Tycho addidit in aliquâ vicinâ clarâ; latitudini vel additis vel subtractis scrupulis totidem, quot quovis loco major fuisse creditur obliquitas Eclipticæ sub Ptolemæo: sic tamen, ut rotundi numeri vicini ratio haberetur.

Præstare autem putavi, Græcum hic textum Ptolemæi propius sequi, quam cum cæteris, Prutenicis, Copernicum, & Alphonsinis, qui Arabicam Almagesti versionem secuti esse videtur; ut hoc pacto conferendi inter se versiones occa-

sionem