Die digitale Landesbibliothek Oberösterreich

oö landes bibliothek

Terms and Conditions

The Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Library.

Each copy of any part of this document must contain there Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept there Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Library

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Imprint:
Director: Mag. Renate Plöchl
Deputy director: Mag. Julian Sagmeister
Owner of medium: Oberösterreichische Landesbibliothek
Publisher: Oberösterreichische Landesbibliothek, 4021 Linz, Schillerplatz 2

Contact:
Email: landesbibliothek(at)ooe.gv.at
Telephone: +43(732) 7720-53100

GLOBI COELESTIS IN TABULAS PLANAS REDACTI PARS V.

in qua Longitudines Stellarum fixarum ad annum Christi complectentem 1730 tam Arithmetice quam Geometrice exhibentur

à IOH. GABR. DOPPELMAYR, MATH. P.P. Academ. Cæs. Leopoldin. Car. Nat. Curiosorum, nec non Societatis Regiæ Borussicæ Socio

Operâ IOH. BAPT. HOMANNI S.C. CÆS. MAJ. GEOGR. Norimbergæ.

BOOTES CUM MONTE MENALI.	M	ag.	Longit.	Latitude
E Humerus sinister	3	ag.	39.33.	♌49.54. B
Z In extremitate clavæ sequens	4	ag.	23.29.	♍93.0.30. B
a In media clava præced. austr.	5	ag.	5.25.	♍95.6.38. B
b In media clava sequens boreali	5	ag.	15.16.	♍96.51.30. B
c In media clava media	6	ag.	24.29.	♍135.55.44. B
d Parvula ad sinist. hum. in clava	3	ag.	24.3.	♍40.30.57. B
s Sub sinistro pede tertia	3	ag.	13.18.	♍38.39.19. B
t Sub sinistro pede quarta et ultima	6	ag.	25.54.	♍120.11.30. B
CORONA BOREALIS.				
A Lucida coronæ	2	ag.	8.28.33.	♏145.23.40. B
B In superiori limbo prima	5	ag.	5.30.51.	♏146.6.6. B
C In superiori limbo secunda	4	ag.	16.38.	♏148.36.23. B
D In superiori limbo tertia	5	ag.	8.17.36.	♏150.29.14. B
E In superiori limbo quarta	4	ag.	11.29.	♏149.14.40. B
F In inferiori limbo prima	5	ag.	17.8.21.	♏153.58.13. B
G In inferiori limbo secunda	5	ag.	13.12.27.	♏144.49.50. B
H In inferiori limbo terti. et ultima	5	ag.	15.17.47.	♏146.8.42. B
HERCULES.				
A Caput	3	ag.	23.23.	♐72.28.38. B
B Humerus sinister	3	ag.	17.15.	♐52.45.30. B
C Humerus dexter	3	ag.	10.58.11.	♐73.35.32. B
D In tergo	3	ag.	27.47.28.	♐93.10.12. B
E Penultima sinistri brachii	4	ag.	28.28.27.	♐80.4.30. B
F In latere dextro	4	ag.	4.34.1.	♐53.19.32. B
G In dextro femore procedens	5	ag.	8.14.17.	♐59.39.53. B
H Ad genitorum in clune dext.	4	ag.	20.0.37.	♐80.22.23. B
I In dextro genu	3	ag.	24.42.17.	♐60.55.0. B
L In sinistro cub. s. med. sin. brachii	4	ag.	27.58.34.	♐37.19.28. B
M Ulnæ sinistri brachii	4	ag.	27.46.44.	♐35.13.1. B
N In dextro brachio	4	ag.	16.9.8.	♐49.45.12. B
O In exuvius Leonis procedens	4	ag.	21.28.12.	♐61.34.30. B
P In exuvius Leonis mediar. austr.	4	ag.	22.24.20.	♐52.57.52. B
Q In exuvius Leonis mediar. bor.	5	ag.	25.42.46.	♐53.44.42. B
R In exuvius ulnæ	4	ag.	28.38.43.	♐52.17.55. B
S In dextro femore media	4	ag.	9.8.30.	♐60.20.43. B
T In dextro femore ultima	5	ag.	11.36.21.	♐69.14.0. B
t In dextro tibia nebulosa	6	ag.	23.31.50.	♐93.28.30. B
k In clava Herculis	6	ag.	20.8.0.	♐53.5.37. B
l In exuv. Leonis omnium super. ad vi.	5	ag.	20.22.3.	♐60.38.50. B
m In manu dextra	5	ag.	3.46.40.	♐54.19.53. B
n Parvula ad dextrum humerum	5	ag.	12.50.57.	♐47.30.0. B
o Inter humeros	5	ag.	3.18.47.	♐46.50.40. B
p In vertice trium nebul. inf. major	6	ag.	9.47.41.	♐35.31.31. B
q In collo	6	ag.	25.6.31.	♐40.41.16. B
s In sinistro latere	5	ag.	22.3.28.	♐50.53.2. B
s In exuvius Leonis supra coronam proxima	5	ag.	13.17.6.	♐94.33.25. B
t In exuvius supra coron. sequens	5	ag.	17.35.49.	♐53.34.12. B
u In sinistra coxa	6	ag.	20.21.8.	♐94.30.10. B
w Ad genicæ in clune sinistro	5	ag.	27.26.83.	♐98.59.27. B
CEREBRUS.				
A In prioris capitis	5	ag.	26.43.29.	♐48.8.36. B
B In medio capite inferior	5	ag.	20.35.50.	♐60.20.29. B
C In medio capite superior	5	ag.	6.3.7.	♐45.9.0. B
D In tertio s. ultimo capite	5	ag.	29.3.53.	♐44.20.4. B
LYRA.				
A Lucida Lyræ	3	ag.	13.33.38	♑67.47.17. B
B In jugo præcedens	4	ag.	19.6.37.	♑96.4.50. B
C In jugo sequens	3	ag.	18.10.27.	♑95.7.30. B
D Lucida III. sequens boreali	3	ag.	14.45.50.	♑93.47.13. B
E Lucida sequens australi prima	5	ag.	16.50.59.	♑60.24.37. B
F Lucida sequens austr. secunda	5	ag.	17.44.46.	♑69.23.33. B
G Lucida sequens ambabus tertia	6	ag.	24.41.59.	♑98.6.43. B
H In ala sequens Vult. boreali	5	ag.	26.17.34.	♑60.44.50. B
I In ala sequens Vult. australis	5	ag.	26.42.50	♑93.38.37. B
K Sub proxideyra in jugo	5	ag.	14.50.27	♑95.59.3. B
L Sub sequenti in jugo	6	ag.	18.17.43.	♑54.37.10. B
M Ad collum Vult. inferior	5	ag.	12.43.31	♑68.34.59. B
N In uncinis alæ sinistræ	5	ag.	14.23.24.	♑62.44.0. B
O In cuspide alæ dextræ superior	6	ag.	29.29.47	♑57.29.37. B
P In cuspide alæ dextræ inferior	5	ag.	0.30.8.	♑59.17.43. B
Q In ala sinistra	5	ag.	4.6.44.	♑59.28.33. B
CYGNUS.				
A Rostrum	3	ag.	27.33.43.	♑49.4.52. B
B Nova pectoris	3	ag.	18.4.59.	♑59.33.20. B
C Pectus	3	ag.	13.9.30.	♑57.12.43. B
D In unguis alæ australis	3	ag.	14.0.42.	♑49.28.30. B
H In capite	5	ag.	1.34.13.	♑50.43.32. B
I In medio colli	4	ag.	16.38.	♑54.22.20. B
R In prim. alæ austr. prox. supra ang.	4	ag.	16.3.31.	♑55.44.30. B
X Informis sub ala austr. bor. proxeed.	4	ag.	16.38.59.	♑49.39.27. B
Y Informis sub ala austr. proxeed. austr.	4	ag.	17.1.47.	♑47.39.32. B
Z Informis sub ala austr. seq. austr.	4	ag.	22.2.36.	♑46.33.20. B
a Informis sub ala austr. seq. boreal.	4	ag.	12.20.0.	♑53.20.30. B
o Ad genam	4	ag.	25.56.7.	♑53.1.38. B
p Infra lucidissim. colli	4	ag.	14.38.	♑54.53.38. B
q Supra lucidiore colli trui. proxeed	3	ag.	13.18.59.	♑57.36.3. B
r Supra lucidiore colli trui. media	3	ag.	13.38.33.	♑55.39.33. B
s Supra lucidiore colli trui. sequens	3	ag.	14.10.22.	♑55.4.0. B
t Sub nova prima	3	ag.	16.13.47.	♑54.39.7. B
u Sub nova secunda	3	ag.	19.43.45.	♑57.59.23. B
w Informis in via lactea proxeed. collui	5	ag.	5.35.45.	♑57.59.23. B
SERPENS.				
A Lucida in medio collo	2	ag.	28.38.59	♒25.35.40. B
B In extremitate rostri	4	ag.	18.24.7.	♒14.31.0. B
C In inferiori mandibula	5	ag.	13.22.6.	♒138.30.20. B
D In ore	4	ag.	19.43.7.	♒140.2.44. B
E Sub oculo ad maxillam	4	ag.	19.57.53.	♒137.9.59. B
F In temporibus	3	ag.	18.44.44.	♒119.42.30. B
H In eductione colli prima ad genæ	3	ag.	16.6.45.	♒134.23.43. B
H In eductione colli tertia	3	ag.	14.14.9.	♒132.50.32. B
I Prope lucidam colli	3	ag.	13.13.5.	♒132.30.0. B
K Infimo colli	3	ag.	20.49.36.	♒124.4.4. B
L In secundo flexu	4	ag.	12.9.33.	♒116.20.0. B
M Ante ultimæ nexum prima	4	ag.	20.54.45.	♒8.45.3. B
N Ante ultimæ nexum secunda	5	ag.	13.35.25.	♒13.38.3. B
O Prima caudæ	3	ag.	26.22.39.	♒130.50.32. B
P Penultima caudæ	3	ag.	1.57.16.	♒120.35.17. B
Q Ultima caudæ	3	ag.	12.1.40.	♒116.57.40. B
R Sub collo in I. flexu sequens	6	ag.	20.38.41.	♒112.30.23. B
S Sub collo in I. flexu præcedens	5	ag.	19.38.41.	♒112.37.28. B
T In I. flexu Serp. sub lucid. frp. gemi	5	ag.	19.38.41.	♒112.39.22. B
V In eductione colli secunda	6	ag.	20.38.41.	♒134.39.22. B
SERPENTARIUS.				
A Caput	2	ag.	28.38.43.	♑93.57.3. B
B Humeri sinistri superior	4	ag.	13.18.36.	♑8.0.42. B
C Humeri sinistri inferior	4	ag.	24.52.53.	♑16.30.59. B
D Humeri dextri inferior	3	ag.	3.4.1.	♑13.54.13. B
E In manu dextra boreali	3	ag.	28.11.2.	♑117.21.39. B
F In manu dextra australis	4	ag.	44.58.	♑116.31.4. B
G In dextro genu	3	ag.	5.28.45.	♑11.28.7. B
H In sinistro femore	3	ag.	20.18.58.	♑7.17.22. B
I Superior in humero dextro	4	ag.	5.31.35.	♑32.13.39. B
K In dextro brachio proced. trui inf.	4	ag.	1.49.7.	♑21.38.40. B
L In dextro poplite	3	ag.	2.46.31.	♑31.38.48. B
M In sinistra manu australi	4	ag.	16.57.38.	♑31.40.53. B
N In sinistra manu boreali	5	ag.	17.0.21.	♑18.43.37. B
O In dextro cruce boreali	4	ag.	4.35.48.	♑5.38.38. B
P In dextro cruce australis	4	ag.	4.34.53.	♑5.32.33. B
Q In dextro pede	3	ag.	3.44.57.	♑13.30.17. B
R In dextro calcaneo	3	ag.	3.31.7.	♑6.34.36. B
S Stella non in Serpentario 1. Sept.	4	ag.	18.30.26.	♑7.36.0. B
T In sinistra sura clarissima, primo in tertia	4	ag.	17.37.25.	♑13.36.0. A
V In sinistra sura secunda. Tycho	4	ag.	18.30.57.	♑6.49.12. A
W Inform. nexu sinistri hum. sin. sequ	4	ag.	26.38.36.	♑37.51.22. B
X Secunda vel media præcedens	4	ag.	26.24.17.	♑36.27.20. B
Y Tertia vel prima et inferior	4	ag.	26.47.18.	♑24.51.35. B
Z Quæ secunda vel media sequitur	4	ag.	27.42.16.	♑36.7.22. B
a Duarum supremarum bor. seq.	4	ag.	28.24.24.	♑33.5.26. B
b Duarum supremarum austral.	4	ag.	28.21.36.	♑32.54.0. B
d In pallio inferior australis	4	ag.	16.30.27.	♑10.22.9. B
d In pallio superior borealis	4	ag.	20.33.36.	♑18.20.59. B
e In sinistro latere vel in lumbo sinis.	5	ag.	17.27.30.	♑16.32.1. B
f In clune dextro trui. inferior	5	ag.	8.17.56.	♑17.41.16. B
g In dextro brachio prox. trui. med	5	ag.	1.3.1.	♑26.13.32. B
h In dextro latere	5	ag.	7.17.47.	♑25.48.6. B
i In dextro brachio seq. superior	5	ag.	6.13.42.	♑19.34.4. B
k In dextro brachio proxed. trui seq.	6	ag.	4.43.56.	♑30.44.29. B
l In gena præcedens	6	ag.	12.8.36.	♑31.34.13. B
m In gena sequens	6	ag.	13.57.43.	♑33.57.46. B
n In cervice	6	ag.	18.46.21.	♑32.55.31. B
o In tergo superior	5	ag.	16.47.6.	♑72.24.46. B
p In tergo inferior	5	ag.	14.23.7.	♑72.38.31. B
q In cline dextro superior	5	ag.	30.39.44.	♑18.32.11. B
r In cline dextro media	6	ag.	2.43.36.	♑16.34.29. B
s In dextro brach. seqq. inferior	6	ag.	5.33.30.	♑17.31.50. B
SCUTUM SOBIESCIANUM.				
A In limbo squa. orientali	5	ag.	11.8.5.	♑136.57.46. B
B In cruce squæ occidentalis	4	ag.	5.18.35.	♑15.1.39. B
C In cruce squæ oriental. superior	5	ag.	7.15.3.	♑136.6.31. B
D In cruce squæ orient. inferior	5	ag.	7.2.53.	♑132.2.25. B
E In limbo squæ occid. infer. nebul.	6	ag.	3.28.43.	♑35.5.44. B
F In limbo squæ occident. superior	5	ag.	1.22.43.	♑136.49.31. B
G In super. limbo ad cuspid. alæ Aquilæ	4	ag.	18.38.54.	♑138.37.49. B
ANTINOUS.				
A Dextrum brachio Tych man. dext.	3	ag.	1.30.36.	♑18.49.6. B
B Sinistrum brachium	3	ag.	19.52.30.	♑26.54.28. B
C In sinistro pede sequens	3	ag.	13.33.3.	♑17.34.47. B
D In pectore	4	ag.	26.43.40.	♑21.37.57. B
E In sinistro latere superior	4	ag.	22.5.55.	♑20.6.54. B
F Supra genu sinistrum	4	ag.	21.6.23.	♑18.37.13. B
G In pede sinistro præcedens	4	ag.	12.38.38.	♑16.5.53. B
H Sub brachio sinistro	5	ag.	19.40.5.	♑22.5.53. B
I In sinistra sura	6	ag.	17.10.53.	♑18.31.37. B
K In dextro femore	5	ag.	13.39.39.	♑22.27.59. B
L In dextro crure	6	ag.	20.12.47.	♑31.8.38. B
M In dextro genu	5	ag.	23.57.14.	♑30.30.31. B
N In sinistro latere inferior	6	ag.	20.14.45.	♑38.48.32. B
O In arcu inferiori s. prima	5	ag.	3.19.23.	♑15.43.51. B
P In arcu secunda	5	ag.	7.12.33.	♑15.48.44. B
Q In arcu tertia	4	ag.	7.50.9.	♑15.54.22. B
R In arcu ultima et superior	6	ag.	8.53.13.	♑18.20.44. B
S In sagitta præcedens	4	ag.	3.14.16.	♑12.27.44. B
T In sagitta sequens	5	ag.	10.5.38.	♑11.34.37. B
AQUILA.				
A Lucida in Scapulis	3	ag.	27.58.20.	♑20.21.33. B
B In humero dextro	3	ag.	26.32.23.	♑31.20.40. B
C In collo s. pectore	4	ag.	28.40.57.	♑26.47.53. B
D In capite	6	ag.	1.20.0.	♑27.7.56. B
E Parva supra lucidam	4	ag.	28.27.53.	♑30.55.5. B
F Parva supra humerui sequens	6	ag.	28.15.21.	♑32.26.9. B
G In ala austr. super. præcedens	4	ag.	23.2.50.	♑23.35.44. B
H In ala austr. infer. sequens	5	ag.	14.3.30.	♑26.34.44. B
I Caudæ proximæ præced. super.	4	ag.	14.30.6.	♑37.46.43. B
K Supra caudæ informis inferior	4	ag.	11.4.42.	♑41.6.27. B
L Supra caudæ informis med.	3	ag.	11.22.	♑43.31.0. B
M In cauda	3	ag.	16.2.9.	♑36.17.27. B
N Parva lucidam aquilæ sequens	5	ag.	28.52.23.	♑18.50.34. B
O In eductione caudæ trium seq.	6	ag.	21.21.21.	♑33.36.0. B
P In eductione caudæ præced. infer.	6	ag.	20.20.42.	♑31.24.21. B
Q	6	ag.	20.2.29.	♑35.50.34. B
R Caudam præcedentui inferior	6	ag.	18.33.3.	♑36.20.30. B
S Parva Aquilæ	5	ag.	8.48.51.	♑64.9.54. B
T Parva supra humerui præced.	6	ag.	26.46.30.	♑32.24.38. B
V In alia boreali infer. præced.	6	ag.	0.39.58.	♑31.43.58. B
W Supra caudæ informium super.	5	ag.	18.27.32.	♑44.38.50. B
X Sub cauda Aquilæ	6	ag.	16.3.59.	♑33.24.38. B
Y In ala boreali super. seq.	5	ag.	6.21.19.	♑34.8.30. B
SAGITTA.				
A Extrema versus orientem vel in cuspide dextri pedis vulpeculæ	5	ag.	3.17.0.	♒39.16.22. B
B Mediarum inferior	5	ag.	29.39.0.	♒39.1.0. B
C Mediarum superior	6	ag.	0.18.59.	♒39.29.55. B
D Duarum ad occidens. australis	5	ag.	27.26.54.	♒38.20.39. B
E Duarum ad occid. borealis	5	ag.	27.17.37.	♒38.53.48. B
VULPECULA CUM ANSERE.				
A In naso infer. ante rostrum cygni	5	ag.	25.51.27.	♒45.58.6. B
B Ad genæ vel in cap. ad ocilum	6	ag.	0.54.31.	♒46.39.56. B
C In aure dextra vel nova, sub capite cygni non adest.	5	ag.	2.44.53.	♒47.28.3. B
D Supra tergi inferior ad via lact.	5	ag.	7.7.13.	♒47.5.2. B
E In colli sequens	5	ag.	5.30.34.	♒44.35.56. B
F In collo præcedens	6	ag.	3.38.6.	♒44.1.32. B
G In pede anteriori sinist.	6	ag.	23.4.2.	♒44.44.32. B
H Ad genu dext. anteriori sequ. inf.	6	ag.	9.43.48.	♒41.8.46. B
I In latere præcedens	6	ag.	10.33.36.	♒43.4.36. B
L In latere sequens	5	ag.	31.7.33.	♒42.29.40. B
L In femore	5	ag.	30.30.38.	♒44.2.44. B
M In axillice superior ad ventrem	5	ag.	17.16.3.	♒53.17.56. B
N Supra tergum sequens informis	5	ag.	17.43.27.	♒46.0.8. B
O In femoris	6	ag.	18.53.53.	♒61.33.46. B
P In caudice inferior	6	ag.	16.35.53.	♒60.57.23. B
Q In dextro pede posteriori	5	ag.	15.23.55.	♒38.13.18. B
R In infimo pede posteriori	6	ag.	21.27.36.	♒37.54.2. B
S Ad eductionem caudæ australis	6	ag.	23.53.4.	♒42.40.46. B
T Prima caudæ s. ad educt. caudi. bor.	5	ag.	22.34.39.	♒43.37.48. B
W Ad ram dext. pedis anteri. prim. et super.	5	ag.	7.31.52.	♒42.44.2. B
X In capite anseris	6	ag.	28.22.47.	♒47.46.33. B
Y In ala sinistra anseris	5	ag.	30.54.43.	♒41.37.20. B
Z Sub ala sinistra anseris nebulosa	6	ag.	23.31.55.	♒41.33.0. B
a Olim in ala dext. anseris nunc vero per sinistr. vulpec. anteriorem	5	ag.	26.22.27.	♒40.32.0. B
b Ad pedes anteriorem dext. vulpec.	6	ag.	3.37.57.	♒39.20.59. B
c In Ancone ala sin. anseris olim sub capite anseris	6	ag.	21.48.30.	♒44.49.25. B
DELPHINUS.				
A In capite	3	ag.	13.39.41.	♒128.17. B
B Apex rhombi, occident	3	ag.	12.36.39.	♒32.1.17. B
C Mediarum in rhombo borealis	3	ag.	13.37.37.	♒33.7.47. B
D Earundem australis	3	ag.	14.32.39.	♒31.2.36. B
E In cauda	3	ag.	10.20.43.	♒129.9.20. B
F Ante aquem rhombi occident	5	ag.	13.2.6.	♒32.35.33. B
G Sub eodem apice præcedens	6	ag.	11.6.9.	♒20.44.54. B
H Sub eodem apice sequens	6	ag.	12.34.21.	♒20.39.35. B
I Sequens cauda	6	ag.	7.29.38.	♒28.56.32. B
K In eductione caudæ superior	6	ag.	11.56.0.	♒32.21.B
L Ad matabulum superior	6	ag.	14.44.49.	♒129.49.5. B
M Delphinum sequens media	6	ag.	16.47.33.	♒28.34.6. B
N Delphinum sequens infima	6	ag.	18.51.37.	♒26.50.56. B
O Media cauda inferior	5	ag.	13.31.27.	♒23.2.40. B
EQUULEUS.				
C In ore præcedens	5	ag.	14.44.44.	♒25.37.30. B
F Ante caput informis	5	ag.	15.53.29.	♒20.34.35. B
LIBRA.				
B Centrum libræ	2	ag.	15.36.49.	♏18.34.47. B
E In jugo sequens	2	ag.	17.37.5.	♏8.9.38. B
G In medio lancis orientalis	2	ag.	21.56.28.	♏3.20.23. B
H Ad superiorem limbum præced.	2	ag.	18.3.37.	♏4.58.49. B
I In superiori limbo media	2	ag.	27.20.44.	♏9.28.53. B
K In superiori limbo ultima	2	ag.	27.29.54.	♏2.20.B
M Post lancem prima Tych. secunda	3	ag.	26.3.35.	♏13.32.B
N Post lancem secunda Tych. tertia	3	ag.	26.35.48.	♏0.10.35.B
O Post lancem tertia Tych. super.	4	ag.	27.22.14.	♏16.38.3.B
P Supra unum quartum australis	5	ag.	19.51.44.	♏8.59.11.B
Q Supra unum duarum borealis	5	ag.	19.45.38.	♏19.51.55.B
S Sub lance orient. ad Eclipt. infer.	6	ag.	22.3.31.	♏19.41.44.A
T Sub lance orient. ad Eclipt. super	6	ag.	21.34.6.	♏10.25.30.A
SCORPIUS.				
A Cor	1	ag.	5.58.9.	♐14.27.39.A
B Suprema frontis	2	ag.	29.25.46.	♏1.6.43.B
C Media frontis	3	ag.	28.47.32.	♏1.82.33.A
D Infima frontis	3	ag.	20.30.36.	♏13.31.A
E Præcordium	4	ag.	3.29.9.	♏1.35.6.A
F Venter vel in tergo	4	ag.	7.39.29.	♏6.0.5.A
H In clicis borea	4	ag.	26.6.32.	♏10.56.18.B
I Ad rostrum	4	ag.	26.41.3.	♏10.10.34.B
K Prope suprem. frontis bor.	4	ag.	0.50.37.	♏14.45.13.B
L Prope suprem. front. austr. duarum contiguarum super. major	5	ag.	29.57.33.	♏10.22.40.B
M In australi pede medio	5	ag.	29.38.57.	♏8.29.12.A
N In austrino latere	6	ag.	2.30.7.	♏26.31.A
O Supra præcordium	6	ag.	4.38.29.	♏1.38.51.A
P In cuspide quarti pedis australis	5	ag.	21.31.31.	♏14.31.A
Q In sexto pede australis	5	ag.	24.50.32.	♏18.36.51.A
R In tertio pede s. medio australis	5	ag.	23.33.22.	♏34.27.A
S In medio pede borealis	6	ag.	7.27.32.	♏33.32.B
T Quæ supra ocr.	6	ag.	5.58.38.	♏7.23.A
V Duarum cor præc. ad austr. seq. Hall. magnit.	6	ag.	4.8.0.	♏6.52.0.A
W Præcedens	6	ag.	2.33.0.	♏6.30.0.A
X Quæ supra præcedun. cor scorpii	5	ag.	3.40.0.	♏2.30.0.A
Y In prima spondylo caudæ	5	ag.	17.30.0.	♏11.28.0.A
Z In secundo spondylo	5	ag.	12.35.0.	♏16.20.0.A
a Nebula in secundo spondylo	5	ag.	11.8.0.	♏17.0.A
b Huic nebulæ contigua	5	ag.	13.20.0.	♏19.33.0.A
c Quæ in quarto spondylo	5	ag.	18.52.0.	♏20.6.0.A
d In quinto spondylo	5	ag.	21.43.0.	♏23.18.0.A
e In sexto spondylo	5	ag.	23.39.0.	♏16.38.0.A
f In septimo spondylo	5	ag.	22.38.0.	♏15.32.0.A
g In aculeo caudæ	5	ag.	20.46.0.	♏13.40.0.A
h Aculeum procedens	5	ag.	20.11.0.	♏13.53.0.A
i Informis sequens caudam	5	ag.	19.30.0.	♏13.18.0.A
k Nebul. inter caudæ et aculeum	5	ag.	22.57.0.	♏11.23.0.A
l Prope suprem. front. duarum australium adhærens alteri non nisi Tubo visibilis	5	ag.	28.52.33.	0.15.49.B
SAGITTARIUS.				
A In capite prima vel sub oculo	4	ag.	9.42.43.	♑13.42.B
B In capite media vel in geniis	4	ag.	12.36.38.	♑10.58.44.B
C In capite ultima, vel ad cervicem	4	ag.	13.31.35.	♑13.40.B
D Dexter humerus	4	ag.	18.38.30.	♑13.38.43.A
E Dextra manus	4	ag.	18.54.38.	♑16.17.11.A
F In boreali arcu superior	4	ag.	29.31.38.	♑28.31.B
G In boreali arcu inferior	4	ag.	27.30.	♑13.59.13.A
H In præcipio Sagittæ	4	ag.	6.30.32.	♑13.50.31.A
I In dextro latere	4	ag.	9.50.55.	♑6.52.3.A
K Sub dextra axilla	4	ag.	11.5.57.	♑4.56.10.A
L In dorso	4	ag.	14.20.18.	♑3.38.38.A
M In sinistro cubito	4	ag.	18.13.17.	♑3.6.27.A
N In præcedente fascia boreali	5	ag.	16.0.48.	♑6.23.34.B
O In præcedente fascia australi	5	ag.	17.44.58.	♑10.20.38.B
P In precedente fascia australi	5	ag.	14.34.32.	♑13.27.7.B
Q In sequente fascia præcedens	6	ag.	20.43.55.	♑15.39.36.B
R In sequente fascia sequens	6	ag.	24.41.28.	♑13.31.46.B
S In sequente fascia infima	6	ag.	21.22.54.	♑13.13.23.B
T In eductione caudæ sequens	5	ag.	23.0.8.	♑6.27.35.A
V In eductione caudæ ult. austr.	5	ag.	22.47.14.	♑7.24.5.A
W In sinistro humero	6	ag.	19.46.7.	♑12.18.36.A
X Ad mentum	6	ag.	9.53.1.	♑13.14.B
Y Quæ in cuspide Sagitte	5	ag.	27.31.0.	♑6.31.0.A
Z In austr. parte arcus	5	ag.	7.18.0.	♑10.34.0.A
a In prima fascia sinistræ manus	5	ag.	29.56.0.	♑17.8.0.A
b Inter scapulas vel supra tergum	5	ag.	13.34.0.	♑12.49.0.A
c In quatuor Tenbelli præc. et bor.	5	ag.	22.3.0.	♑13.23.0.A
d Sequens borealis	5	ag.	23.0.0.	♑13.34.0.A
g In genu dextro priore	5	ag.	14.45.0.	♑18.20.0.A
CAPRICORNUS.				
A In cornu boreali trium media	3	ag.	0.6.3.	♒7.3.1.B
B In cornu australi	3	ag.	17.32.32.	♒10.30.37.B
E Nebulosa in fronte	3	ag.	29.3.11.	♒0.39.11.B
F Nebulosa ad oculum præcedens	3	ag.	17.2.26.	♒1.1.13.B
G Nebulosa sequens	3	ag.	20.28.38.	♒10.10.52.B
H Supra nebulosa ad oculum	3	ag.	1.29.57.	♒11.38.46.B
I In cervice bor. sub aure	4	ag.	14.55.21.	♒13.26.10.B
K In cervice, australis	4	ag.	4.5.14.	♒10.20.35.B
L Genu sinistrum	3	ag.	3.24.49.	♒16.54.13.A
M Genu dextrum	3	ag.	6.13.5.	♒18.52.38.A
N In dextro armo	4	ag.	8.8.21.	♒7.57.32.A
O In dorso præcedens	3	ag.	30.3.38.	♒10.27.34.A
P In pectore boreali	3	ag.	8.49.54.	♒12.22.6.A
R In pectore australior	4	ag.	9.33.41.	♒4.27.0.A
b Trui. antique in core. bor. orient.	6	ag.	24.48.	♒24.4.3.B
c Ad cornu boreale præcedens	6	ag.	28.32.52.	♒17.41.B
d In cornu boreali trui occident.	6	ag.	0.0.29.	♒17.33.B
AQUARIUS.				
C In fascia manus dextræ præcedens	4	ag.	8.2.6.	♒18.2.32.B
D In ulna manus dextræ sequens	4	ag.	10.32.38.	♒18.39.38.B
E Manus dextra	3	ag.	23.37.33.	♒24.52.45.B
LUPUS.				
Q Contiguarum ante collum præcedens, et in pede sinistro genu præcedens	5	ag.	13.45.0.	♏17.3.0.A
R Sequens	5	ag.	9.30.0.	♏17.34.0.A
S In genis duarum austr. sin. collo	5	ag.	3.48.0.	♏17.27.0.A
T Borea	5	ag.	4.49.0.	♏13.30.0.A
V In vero duarum præcedens	6	ag.	26.26.0.	♏13.44.0.A
W Huic contigua sequens	6	ag.	26.55.0.	♏13.47.0.A
X In ventu seq. s. in capite præced	5	ag.	9.1.0.	♏13.0.0.A
Y Huic contig. tempore s. in cap. seq.	6	ag.	6.1.0.	♏13.0.0.A
CORONA AUSTRALIS.				
B Quæ fores præcedentium sequuntur in corona	5	ag.	5.32.0.	♐20.33.0.A
C Hanc sequens	6	ag.	8.28.0.	♐20.35.0.A
D Quæ hanc etiam sequitur	6	ag.	6.42.0.	♐17.46.0.A
E Ante genu sagittarii trui. austr.	5	ag.	15.31.0.	♐18.54.0.A
F Medius	5	ag.	10.35.0.	♐15.34.0.A
G Borea, trium	5	ag.	3.45.0.	♐16.59.0.A
H In ambitu bor. duar. contig. sequens	5	ag.	8.31.0.	♐16.30.0.A
I Præcedens	5	ag.	7.43.0.	♐14.23.0.A
K Borealissima coronæ	5	ag.	4.59.0.	♐17.27.0.A
L Australior et præcedens	6	ag.	4.14.0.	♐17.17.0.A
M Hæc etiam australior	5	ag.	23.0.0.	♐18.38.0.A
PISCIS NOTIUS.				
Q Rostro ad Aquæ non in cauda	4	ag.	6.50.0.	♑7.20.0.A
R Quæ magis ad Bore