

Terms and Conditions

The Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Library.

Each copy of any part of this document must contain there Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept there Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Library

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Imprint:

Director: Mag. Renate Plöchl

Deputy director: Mag. Julian Sagmeister

Owner of medium: Oberösterreichische Landesbibliothek

Publisher: Oberösterreichische Landesbibliothek, 4021 Linz, Schillerplatz 2

Contact:

Email: landesbibliothek(at)ooe.gv.at

Telephone: +43(732) 7720-53100


Woran sterben die Menschen?

Auf dem Tuberculose-Congress in London legten deutsche Gelehrte amtliche Berechnungen vor, in welchen die Todesursachen für die einzelnen Lebensalter im Durchschnitt der letzten zehn Jahre auf je 100 beobachtete Fälle wiedergegeben werden. Diese Berechnungen, die wir in eine graphische Darstellung gebracht haben, sind ungemein interessant, denn sie zeigen uns, dass jedes Lebensalter eine Krankheit hat, die als "Würgengel" bezeichnet werden kann. Im ersten Lebensjahre stirbt genau ein Drittel aller an Magen- und Darmkatarrh erkrankten Kinder, im Alter von 2-15 Jahren wüthet die Diphtherie und der Croup, die 22,11 pro Cent Todesfälle hervorgerufen, zwischen dem 15. und 60. Lebensjahre ist die Tuberculose mit 33,14 pro Cent der Würgengel und über 60 Jahre sterben die meisten Menschen (38,94 pro Cent) an Altersschwäche. Im ersten Lebensabschnitt spielen die entzündlichen Krankheiten der Athmungsorgane ebenfalls eine erhebliche Rolle, denn von 100 erliegen ihnen 8,22, im zweiten Lebensabschnitt 15,85, im dritten 93,67 und im vierten 5,25. Die

977

2.-15. Jahre.

Im ersten Lebensjahre.



Gravim. Veritas, Berlin 1890